



Facet Sewage Treatment Plants STP Series for marine applications are designed for the treatment of black (from WC, urinals, and hospital) and grey (sinks, showers, laundry and galley) water generated on board.

The treatment consists of the purification and subsequent disinfection of the water to achieve an effluent whose quality meets the IMO requirements.

The purification mechanism is based on a biological process of active sludge with extended aeration: the microorganisms in the biomass purify the water, so that no additional chemical treatment throughout the process is necessary.

The plants are built in a single steel module to ease transportation and on board installation. The module is divided into three chambers (aeration, settling and discharge/disinfection), each of them with their respective inspection accesses.

In the aeration chamber are housed the air diffusers which provide the necessary oxygenation for the microorganisms and generate the agitation that homogenizes the content of the reactor.

The settling chamber, pressurized to improve the process of deposition of solids, contains the biological filter and the sludge recirculation connections and greases toward the aeration chamber.

Standard Features


- Meet IMO Resolutions MEPC-2(VI) and MEPC-159(55)
- Certified by the Maritime and Coastguard Agency and the CE
- No sludge generation
- No odour generation
- Fully automatic operation driven by PLC
- Inside and outside Epoxy protective coating
- Aeration system compounded by a blower, an air supply pipe, bubble diffusers, a filter and an air relief valve
- Automatic sludge recirculation system
- Access and inspection registers in every chamber
- Electrical control panel, with IP-55 protection, including operation synoptic panel

Options

- Stand-by blower
- Stand-by discharge pump
- Chlorine solution dosing pump
- Grease trap
- Integrated vacuum system

STP Series

Sewage Treatment Plants




DIMENSIONS

MODEL	a		b		c		d		e		f		g		h		i	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm
STP-0.5	67	1700	39 $\frac{1}{8}$	1000	52 $\frac{1}{8}$	1324	24	609	52	1320	79 $\frac{3}{4}$	2024	22	558	91 $\frac{1}{2}$	2324	4	100
STP-1	83 $\frac{1}{8}$	2124	39 $\frac{1}{8}$	1000	58 $\frac{1}{8}$	1476	24	609	58	1473	101	2565	22	558	112 $\frac{1}{4}$	2863	4	100
STP-1.5	93	2362	49 $\frac{1}{8}$	1255	66	1676	34	863	65	1625	101 $\frac{1}{4}$	2584	32	812	117 $\frac{1}{2}$	2984	4	100
STP-2	91	2311	65 $\frac{1}{8}$	1667	66	1676	50	1270	65	1625	103 $\frac{3}{4}$	2635	48	1219	115 $\frac{1}{2}$	2934	4	100
STP-3	113 $\frac{1}{4}$	2889	65 $\frac{1}{8}$	1667	66	1676	50	1270	65	1625	127 $\frac{3}{4}$	3244	48	1219	139 $\frac{1}{2}$	3544	4	100
STP-4	120	3048	70 $\frac{1}{8}$	1794	76	1930	53 $\frac{1}{2}$	1359	77 $\frac{1}{2}$	1969	139 $\frac{3}{4}$	3549	51 $\frac{1}{2}$	1310	151 $\frac{1}{2}$	3848	4	100
STP-6	138	3505	81	2057	81 $\frac{1}{2}$	2070	66	1676	77 $\frac{1}{2}$	1969	159 $\frac{1}{4}$	4044	64	1625	169 $\frac{1}{2}$	4305	4	100
STP-8	135 $\frac{5}{8}$	3445	91	2311	93 $\frac{1}{2}$	2375	74	1879	109 $\frac{1}{4}$	2774	155 $\frac{1}{4}$	3944	72	1828	167	4242	4	100
STP-10	156	3962	91	2311	93 $\frac{1}{2}$	2375	74	1879	109 $\frac{1}{4}$	2774	175 $\frac{3}{4}$	4464	72	1828	187 $\frac{1}{2}$	4762	4	100
STP-12	170 $\frac{1}{2}$	4333	103 $\frac{1}{8}$	2619	93 $\frac{1}{2}$	2375	86	2184	109 $\frac{1}{4}$	2774	176 $\frac{1}{2}$	4833	84	2134	202	5131	4	100
STP-14	192 $\frac{1}{4}$	4883	103 $\frac{1}{8}$	2619	93 $\frac{1}{2}$	2375	86	2184	109 $\frac{1}{4}$	2774	212	5385	84	2134	223 $\frac{3}{4}$	5683	4	100
STP-16	192 $\frac{1}{2}$	4990	103 $\frac{1}{8}$	2619	105 $\frac{1}{8}$	2676	86	2184	101 $\frac{1}{2}$	2578	216 $\frac{1}{4}$	5492	84	2134	228	5791	4	100
STP-18	192 $\frac{1}{2}$	4990	115	2921	105 $\frac{1}{8}$	2676	98	2489	101 $\frac{1}{2}$	2578	216 $\frac{1}{4}$	5492	96	2438	228	5791	4	100
STP-20	214 $\frac{1}{4}$	5442	115	2921	105 $\frac{1}{8}$	2676	98	2489	101 $\frac{1}{2}$	2578	234	5943	96	2438	245 $\frac{3}{4}$	6242	4	100
STP-22	207 $\frac{3}{4}$	5277	115	2921	117 $\frac{1}{8}$	2983	98	2489	113 $\frac{1}{2}$	2883	227 $\frac{1}{2}$	5778	96	2438	239 $\frac{1}{4}$	6077	4	100
STP-24	198 $\frac{1}{4}$	5035	127 $\frac{1}{8}$	3229	117 $\frac{1}{8}$	2983	110	2794	113 $\frac{1}{2}$	2883	218	5537	108	2743	229 $\frac{3}{4}$	5837	4	100
STP-30	222 $\frac{1}{4}$	5645	139 $\frac{1}{16}$	3532	117 $\frac{1}{8}$	2983	122	3098	113 $\frac{1}{2}$	2883	242	6146	120	3048	253 $\frac{3}{4}$	6446	4	100

CONNECTIONS

MODEL	A (Inlet)	B (Air Vent)	C (Discharge)	D (Grey Water Inlet)	E (Chlorine Inlet)
STP-0.5	DN100		DN80	1 1/2" RH	DN80
STP-1	DN100		DN80	1 1/2" RH	DN80
STP-1.5	DN100		DN80	1 1/2" RH	DN80
STP-2	DN100		DN80	1 1/2" RH	DN80
STP-3	DN100		DN80	1 1/2" RH	DN80
STP-4	DN100		DN100	DN32	DN80
STP-6	DN100		DN100	DN32	DN80
STP-8	DN100		DN100	DN32	DN80
STP-10	DN100		DN100	DN32	DN100
STP-12	DN100		DN100	DN32	DN100
STP-14	DN100		DN100	DN32	DN100
STP-16	DN100		DN100	DN32	DN100
STP-18	DN100		DN100	DN32	DN100
STP-20	DN100		DN100	DN32	DN100
STP-22	DN100		DN150	DN32	DN100
STP-24	DN100		DN150	DN32	DN100
STP-30	DN100		DN150	DN32	DN100



ITEM	DESCRIPTION
1	Aeration chamber
2	Sewage inlet
3	Chlorination chamber
4	Air diffusers
5	Clarification chamber
6	Clarification chamber bottom
7	Sludge return line
8	Sewage treatment unit air supply
9	Sludge return line air supply needle valve
10	Diffuser air supply valve
11	Clarifier inlet baffle pipe
12	Crossover manifold (from clarifier to chlorine chamber)
13	Chlorine chemical injection
14	Sludge return cleanout
15	Sludge return air supply solenoid valve
16	Anti-syphon vent
17	Control panel
18	Blower
19	Chlorine tank
20	Grey water inlet
21	Treated liquid discharge from sewage treatment unit
22	Air vent atmosphere
23	To bilge
24	Unit overboard bypass
25	Bioreactor